

WEST Search History

[Hide Items](#)
[Restore](#)
[Clear](#)
[Cancel](#)

DATE: Monday, August 21, 2006

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L76	L75 and merge and join\$3	1
<input type="checkbox"/>	L75	L74 and sort\$3	3
<input type="checkbox"/>	L74	L73 and attribute\$1	3
<input type="checkbox"/>	L73	L72 and template	5
<input type="checkbox"/>	L72	L70 and (data near5 mining)	21
<input type="checkbox"/>	L71	L70 and (data near5 minining)	0
<input type="checkbox"/>	L70	(k\$mean\$1 and algorithm\$1 and top\$down) and @py<=2004	48
<input type="checkbox"/>	L69	(k\$mean\$1 and algorithm\$1 and merge\$join and top\$down) and @py<=2004	0
<input type="checkbox"/>	L68	L65 and join\$3	0
<input type="checkbox"/>	L67	L65 and merge	0
<input type="checkbox"/>	L66	L65 and sort\$3	0
<input type="checkbox"/>	L65	L64 and template\$1	1
<input type="checkbox"/>	L64	L63 and pattern\$1	2
<input type="checkbox"/>	L63	L62 and (discover\$3 or knowledge)	2
<input type="checkbox"/>	L62	l61 and attribute\$1	2
<input type="checkbox"/>	L61	'anti-monotonicity' and 'k-itemssets' and @py<=2004	2
<input type="checkbox"/>	L60	(k\$mean\$1 and algorithm\$1 and anti\$monotonicity) and @py<=2004	0
<input type="checkbox"/>	L59	(k-mean\$1 and algorithm\$1 and anti\$monotonicity) and @py<=2004	0
<input type="checkbox"/>	L58	(k-mean\$1 and algorithm\$1 and data and minin\$3 and template and anti\$monotonicity) and @py<=2004	0
<input type="checkbox"/>	L57	L56 and (data near5 sets)	8
<input type="checkbox"/>	L56	L55 and attributes	8
<input type="checkbox"/>	L55	L54 and (mining near5 pattern)	10
<input type="checkbox"/>	L54	mining near5 template	55
<input type="checkbox"/>	L53	6061682.uref.	20
<input type="checkbox"/>	L52	L51 and @py<=2003	11
<input type="checkbox"/>	L51	(discover\$3 and mining).ti.	24
<input type="checkbox"/>	L50	(knowledge and mining).ti. L48	0
<input type="checkbox"/>	L49	(discover\$3 and mining).ti. L48	0
<input type="checkbox"/>	L48	6292797.uref.	7

<input type="checkbox"/>	L47	L46 and attributes	4
<input type="checkbox"/>	L46	(mining and pattern and discovery).ti,ab. and @py<=2003	17
<input type="checkbox"/>	L45	(mining and pattern and discovery).ti.	0
<input type="checkbox"/>	L44	(mining and pattern and discovery).ti,ab.	22
<input type="checkbox"/>	L43	(pattern near5 join\$3) and (pattern near5 template) and relational and database\$1 and mining and tables	3
<input type="checkbox"/>	L42	(5809499 or 6434570).pn.	4
<input type="checkbox"/>	L41	relational and databases and knowledge and discovery and pattern and merge and join and sort\$3 and nodes and templates and attributes and tables and values and preference\$1 and @py<=2003	38
<input type="checkbox"/>	L40	L39 and algorithms	7
<input type="checkbox"/>	L39	L38 and (knowledge near5 base)	8
<input type="checkbox"/>	L38	L37 and mining	48
<input type="checkbox"/>	L37	L36 and attributes	48
<input type="checkbox"/>	L36	L35 and mining	62
<input type="checkbox"/>	L35	merge and joining and discovery	705
<input type="checkbox"/>	L34	'merge-joining' and discovery	1
<input type="checkbox"/>	L33	'merge-joining' and data and tables and mining	1
<input type="checkbox"/>	L32	L30 and (mining near5 preference\$1)	0
<input type="checkbox"/>	L31	L30 and (mining near5 preferences)	0
<input type="checkbox"/>	L30	L29 and (user near5 interfac\$3)	24
<input type="checkbox"/>	L29	L28 and (data near5 mining)	24
<input type="checkbox"/>	L28	L27 and (data near5 set\$1)	24
<input type="checkbox"/>	L27	L24 and hierarchical	25
<input type="checkbox"/>	L26	L24 and 'anti-monotonicity'	0
<input type="checkbox"/>	L25	L24 and monotonicity	0
<input type="checkbox"/>	L24	L23 and templates	25
<input type="checkbox"/>	L23	knowledge and data and mining and join and merge and pattern and attributes and tables and fields and rules and algorithms and @py<=2003	29
<input type="checkbox"/>	L22	'anti-monotonicity property'	4
<input type="checkbox"/>	L21	antimonotonicity property	0
<input type="checkbox"/>	L20	L19 and templates	2
<input type="checkbox"/>	L19	L18 and discover\$3	4
<input type="checkbox"/>	L18	L17 and pattern	5
<input type="checkbox"/>	L17	L16 and (multiple near5 attributes)	14
<input type="checkbox"/>	L16	relational near5 dataset\$1	81
<input type="checkbox"/>	L15	L10 and pattern	13
<input type="checkbox"/>	L14	L12 and join	2
<input type="checkbox"/>	L13	L12 and merge	2

<input type="checkbox"/>	L12	L10 and relationships	11
<input type="checkbox"/>	L11	L10 and mining and templates	1
<input type="checkbox"/>	L10	(discovery near5 techniques) and (multiple near5 attributes)	20
<input type="checkbox"/>	L9	L8 and (discover\$3 near5 (attribute\$1 or field\$1))	6
<input type="checkbox"/>	L8	L7 and template\$1	22
<input type="checkbox"/>	L7	L6 and (mining near5 rule\$1)	148
<input type="checkbox"/>	L6	mining near5 (attribute\$1 or field\$1)	1807
<input type="checkbox"/>	L5	(multiple near5 data) and (data near5 sets) and (data near5 mining) and (mining near5 templates) and ((discover\$3 or knowledge) near5 (attribute\$1 or table\$1))	4
<input type="checkbox"/>	L4	(multiple near5 data) and (data near5 sets) and (data near5 mining) and (mining near5 templates) and ((discover\$3 or knowledge) near5 (attribute\$1 or table\$1)) and @py<=2003	0
<input type="checkbox"/>	L3	(data near5 mining) and (anti\$monotonicity)	5
<input type="checkbox"/>	L2	L1 and (anti\$monotonicity)	0
<input type="checkbox"/>	L1	(data and mining and attribute\$1 and data and set\$1 and relational and (multiple near5 item\$1) and template\$1) and @py<=2004	33

END OF SEARCH HISTORY

[Sign in](#)[Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

anti monotonicity property data mining templat

[Search](#)[Advanced Search](#)
[Preferences](#)**Web** Results 21 - 30 of about 14,800 for **anti monotonicity property data mining templates**. (0.91 seconds)[\[PDF\] Constraint-Based Discovery and Inductive Queries: Application to ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)Definition 4(**Anti-monotonicity**). An **anti-monotone** constraint is a con- ... In Advances in Knowledge Discovery and **Data Mining**, pages. 307-328. ...liris.cnrs.fr/~jbouluca/esf02.pdf - [Similar pages](#)[\[PDF\] Institut für Informatik XII Data Mining for Protein Secondary ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)the **anti-monotonic property** of the search space (3-4), a candidate pattern of ... **Data Mining** (KDD'95), Montreal, Canada, August 1995, AAAI Press, 210-215 ...www.bio.ifi.lmu.de/~birzele/Thesis.pdf - [Similar pages](#)[\[PDF\] A Fuzzy Approach for Mining Generalized Frequent Temporal Patterns](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)tional **data mining** techniques has caused the creation of ... This **property**, also called **anti-monotonicity property**, indicates that if a sequence is in- ...elvex.ugr.es/icdm2004/pdf/guil.pdf - [Similar pages](#)[\[PDF\] Association Rules](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)in event sequences," **Data Mining** and Knowledge Discovery, 1997. . **Mining** sequential patterns with ... Only handles **anti-monotonic** iceberg cubes ...www.cs.ttu.edu/~hewett/teach/datamining/ch6Assoc-2.pdf - [Similar pages](#)[\[PDF\] Surprising results of trie-based FIM algorithms](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)In the frequent pattern **mining** problem we are given the. set of input **data T**, the pattern context $PC = (P, \cdot)$, the. **anti-monotonic** function supp ...ftp.informatik.rwth-aachen.de/Publications/CEUR-WS/Vol-126/bodon.pdf - [Similar pages](#)[Methods and apparatus for mining attribute associations patent ...](#)Multiple items are obtained from the relational **data set**. ... [0011] The multi-attribute **mining templates** may be related by an **anti-monotonicity property**. ...www.freshpatents.com/Methods-and-apparatus-for-mining-attribute-associations-dt20050203ptan20050027710.php - 27k - [Cached](#) - [Similar pages](#)[\[PDF\] Surprising results of trie-based FIM algorithms](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)In the frequent pattern **mining** problem we are given the. set of input **data T**, the pattern context $PC = (P, \cdot)$, the. **anti-monotonic** function supp ...www.cs.bme.hu/~bodon/en/apriori/bodon.pdf - [Similar pages](#)[\[PDF\] Constraint-based Discovery and Inductive Queries: Application to ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)butions in the **data mining** and machine learning communities. ... tractable, thanks to the **anti-monotonicity** of freeness (extraction of the whole ...eurise.univ-st-etienne.fr/~jeudy/publi/esf02.pdf - [Similar pages](#)[\[PDF\] Sanjay Chawla, Bavani Arunasalam and Joseph Davis](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

process we will use and modify several standard **data mining** techniques in ... tage of the **anti-monotonicity property** exhibited by the support level: If ...

www.it.usyd.edu.au/research/tr/tr535.pdf - [Similar pages](#)


[PDF] [University of Texas at Arlington Dissertation Template](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the field known as **Data mining**. This field has attracted academicians and the industry ...

The algorithm defines the notion of **anti-monotonicity** in which ...

itlab.uta.edu/ITLABWEB/Students/sharma/theses/Bha05MS.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google



2002 anti monotonicity property data mining te

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar Results 11 - 20 of about 84 for 2002 anti monotonicity property data mining templates. (0.22 sec)

[\[book\] Database Support for Data Mining Applications: Discovering Knowledge with Inductive Queries](#) [All articles](#) [Recent articles](#)

R Meo, PL Lanzi, M Klemettinen - 2004 - books.google.com

... ferences such as EDBT and PKDD/ECML, in **2002**. ... This work investigates the **properties** of solution spaces of queries with monotonic and **anti-monotonic** constraints ...

[Cited by 2](#) - [Web Search](#) - [Library Search](#)

[Towards Generic Pattern Mining - group of 4 »](#)

MJ Zaki, N Parimi, N De, F Gao, B Phoophakdee, J ... - International Conference on Formal Concept Analysis (Invited ...), 2005 - Springer

... be infrequent (follows from the **anti-monotonicity** of frequency). ... must satisfy all **tree properties**, namely i ... In addition, DMTL provides persistent **data** and index ...

[Cited by 1](#) - [Web Search](#) - [BL Direct](#)

[Data Mining for Protein Secondary Structure Prediction Data Mining zur Protein ...](#)

F Birzele - cgi.bio.ifi.lmu.de

... 25 Figure 2-12: **Anti-parallel β** ... providing the best "standard of truth" **data** currently available. ... This **property** is of biochemical interest since it allows ...

[View as HTML](#) - [Web Search](#)

[Parallel and distributed data mining through parallel skeletons and distributed objects. - group of 3 »](#)

M Coppola, M Vanneschi - Computing Reviews, 2004 - di.unipi.it

... literature references in the papers of Carletti and Coppola (**2002**) and Coppola and Vanneschi (**2002**). ... The minimum support **property** is **anti-monotonic** in this ...

[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

[\[book\] Uncertainty Handling and Quality Assessment in Data Mining - group of 2 »](#)

M Vazirgiannis, AV Nebylov, M Halkidi, D ... - 2003 - books.google.com

... it is as the internal **data** set **properties** will drive the ... [C02] Coppock David 5, "**Data Mining** and Modeling ... published in DM Review Online, March **2002** (<http://www ...>

[Cited by 7](#) - [Web Search](#) - [Library Search](#)

[The ATLaS User Manual - group of 2 »](#)

H Wang, C Zaniolo, R Luo - magna.cs.ucla.edu

... December 24, **2002** ... The basic initialize-iterate-terminate **template** used to define the average ... Examples of application of recursive UDAs in **data mining** will be ...

[View as HTML](#) - [Web Search](#)

[Surprising results of trie-based FIM algorithms - group of 2 »](#)

F Bodon - ... on Frequent Itemset Mining Implementations (FIMI'04) - cs.bme.hu

... we are given the set of input **data** T, the pattern context PC = (P,), the **anti-monotonic** function supp T ... However this **property** does not hold for many other ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

[Mining Actionable Patterns by Role Models - group of 2 »](#)

K Wang, Y Jiang, A Tuzhilin - doi.ieeecomputersociety.org

... patterns were discovered by executing pat- tern **templates** at the nodes of the hierarchy.

Kleinberg et al. [6] presented the microeconomic view of **data mining**. ...

[Cited by 1](#) - [Web Search](#)

[BOOK] [On Local Pruning of Association Rules Using Directed Hypergraphs](#) - group of 7 »

S Chawla, J Davis, G Pandey - 2003 - kmrg.it.usyd.edu.au

... the research in association rule **mining** has fo ... distance measures for categor- ical

data has been ... take advan- tage of the **anti-monotonicity property** exhibited by ...

[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

[BOOK] ... , [Parallel Processing: 8 th International Euro-Par Conference Paderborn, Germany, August 27-30, 2002](#) ...

B Monien, R Feldmann - 2002 - books.google.com

... Page 9. Euro-Par 2002 Program Committee Topic 1: Support Tools and Environments ... Topic

5: Parallel and Distributed Databases, **Data Mining** and Knowledge Discovery ...

[Web Search](#) - [Library Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



2002 anti monotonicity property data mining te

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar Results 31 - 40 of about 83 for 2002 anti monotonicity property data mining templates. (0.13 sec)

[book] [Knowledge Discovery in Inductive Databases: Third International Workshop, Kdid 2004, Pisa, Italy, ...](#)

[All articles](#) [Recent articles](#)

B Goethals, A Siebes - 2005 - books.google.com

... the previous two workshops: KDID **2002** held in ... can output predictions that violate the transitivity **property**. ... on Knowledge Discovery and **Data Mining**, 2004. ...

[Web Search](#) - [Library Search](#)

[book] [Documenting Software Architectures: Views and Beyond - group of 10 »](#)

PEDT Clements, F Bachmann, L Bass, D Garlan, J ... - **2002** - books.google.com

... QA76.9.A73 063 **2002** 004 2'2—dc2l 2002024940 Copyright 0 ... 1 Overview 129 4.2.2 Elements, Relations, and **Properties** 1 29 4.2.3 What the Shared-Data Style Is ...

Cited by 240 - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[book] [Advances in Web Intelligence: Third International Atlantic Web Intelligence Conference, Awic 2005, ...](#)

A Niewiadomski, J Kacprzyk, PS Szczepaniak - 2005 - books.google.com

... An **Anti**-Noise Text Categorization Method Based on Support ... models as it happened in **data** warehouses, -similar ... Agent Systems Bologna, Italy, July 15-19, **2002**. ...

[Web Search](#)

[Efficient Mining of Interesting Emerging Patterns and Their Effective Use in Classification](#)

FAN Hongjian - 2004 - eprints.unimelb.edu.au

... Discovery and **Data Mining** (PAKDD2002), Taipei, Taiwan, May 6 - 8, **2002**, pages 456 ...

What is worse, the Apriori **anti**-monotone **property** – every subset ...

[View as HTML](#) - [Web Search](#)

[ps] [Prediction of protein coarse contact maps - group of 3 »](#)

A Vullo, P Frasconi - Journal of Bioinformatics and Computational Biology, 2003 - gruyere.ucd.ie

... **anti**-parallel to the diagonal (residues 18-25 and 56 ... Because of the "**monotonicity**" **property** 3 above a single ... satisfies the rst **property** for an admissible scoring ...

Cited by 7 - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[book] [Neural Networks for Pattern Recognition - group of 4 »](#)

C Bishop, CM Bishop - 1995 - books.google.com

... 1995 Reprinted 1996 (twice), 1997 (twice), 1998, 1999, 2000, **2002**, 2003 (twice ... x)

denotes the Dirac delta function, which has the **properties** 5(x ... 8.3 **Mining data** ...

Cited by 6790 - [Web Search](#) - [Library Search](#)

[Cluster Security Research Involving the Modeling of Network Exploitations Using Exploitation Graphs - group of 2 »](#)

W Li, RB Vaughn - doi.ieeecomputersociety.org

... processing processors in missile (and **anti**-missile) systems ... to the assumption of **monotonicity**, complexity problems ... Such **properties** made it more convenient to ...

[Web Search](#)

[book] [Medical Data Analysis: Third International Symposium, Ismda 2002, Rome, Italy, October 8-11, 2002. ...](#)

AEDT Colosimo, PEDT Sirabella, A Giuliani - **2002** - books.google.com

... Springer-Verlag Berlin Heidelberg **2002** ... is because pattern similarity does not have the **property** of transitivity ... Knowledge Discovery Using Medical **Data Mining** ...
[Web Search](#) - [Library Search](#)

Foundations of Preferences in Database Systems - group of 11 »

W Kießling - Intern. Conf. on Very Large Databases (VLDB'02) - informatik.uni-augsburg.de
... by permis- sion of the Very Large **Data** Base Endowment ... Proceedings of the 28th VLDB
Conference, Hong Kong, China, **2002** ... dom(A), can be converted into an **anti-chain** ...
[Cited by 93](#) - [View as HTML](#) - [Web Search](#)

[book] Practical Aspects of Declarative Languages: 5 th International Symposium, Padl 2003, New Orleans, La ...

V Dahl, P Wadler, HRES AG - 2003 - books.google.com
... Non-**monotonic** Reasoning on Beowulf Platforms 37 ... For PADL **2002**, we received some complaints of non ... CONTINUE has several behavioral **properties** worth verifying. ...
[Web Search](#) - [Library Search](#)



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) **Next**

2002 anti monotonicity property data

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

anti monotonicity property data mining templat

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 11 - 20 of about 15,300 for **anti monotonicity property data mining templates**. (0.32 seconds)

ICDM'05 Conference Schedule

Data Mining Case Studies and ICDM **Data Mining** Practice Prizes ... Subsequences from a Single Long **Data** Sequence: A Novel **Anti-Monotonic** Measure and a Simple ...
www.cacs.louisiana.edu/~icdm05/finalprograms.html - 100k - [Cached](#) - [Similar pages](#)

Citations: - Rastogi, sequential, with, constraints, of ...

1 Introduction **Data mining** has been a hot research topic in recent years, ... constraints having nice **properties** (eg **anti monotonicity**) to filter out some ...
citeseer.ist.psu.edu/context/929408/231911 - 34k - [Cached](#) - [Similar pages](#)

CITIDEL: Viewing 'Exploratory mining and pruning optimizations of ...

This demonstrates how important the succinctness and **anti-monotonicity properties** ...
Data mining using two-dimensional optimized association rules: Scheme, ...
www.citidel.org/?op=getobj&identifier=oai:ACMDL:articles.276307 - 21k - [Cached](#) - [Similar pages](#)

ICDM 2005

Proceedings of the 5th IEEE International Conference on **Data Mining** (ICDM ... from a Single Long **Data** Sequence: A Novel **Anti-Monotonic** Measure and a Simple ...
www.informatik.uni-trier.de/~ley/db/conf/icdm/icdm2005.html - 78k - [Cached](#) - [Similar pages](#)

[PDF] Conference at a Glance

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Data Mining Case Studies and ICDM **Data Mining** Practice Prizes ... **Anti-Monotonic** Measure and a Simple On-Line Algorithm, by Koji Iwanuma, ...
www.cacs.ull.edu/~icdm05/schedule.pdf - [Similar pages](#)

[PDF] Towards Generic Pattern Mining

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In this paper we propose the **Data Mining Template** Library, a collection ... (follows from the **anti-monotonicity** of frequency). The different FPM algorithms ...
www.cs.rpi.edu/~zaki/PS/ICFCA05 - [Similar pages](#)

IBM Research | Almaden Research Center | Computer Science

Template detection via **data mining** and its applications. WWW 2002: 580-591. **Anti**-aliasing. Jasmine Novak, Prabhakar Raghavan, and Andrew Tomkins show that ...
www.almaden.ibm.com/software/projects/web/ - 41k - [Cached](#) - [Similar pages](#)

[PDF] Proceedings Template - WORD

File Format: PDF/Adobe Acrobat - [View as HTML](#)

used techniques in **data mining** and knowledge discovery and has ... weaker but **anti-monotonic** condition. Although this work is. contributed to utility **mining** ...
storm.cis.fordham.edu/~gweiss/ubdm05/UBDM-Liu-15.pdf - [Similar pages](#)

[PDF] Scalability and efficiency in multi-relational data mining

File Format: PDF/Adobe Acrobat

cerns in the field of **data mining**, and are even more so in the ... ically, the Apriori algorithm uses the **anti-monotonicity** of ...
portal.acm.org/ft_gateway.cfm?id=959246&

type=pdf&coll=&dl=GUIDE&CFID=15151515&CFTOKEN... - [Similar pages](#)

[PDF] Pushing Convertible Constraints in Frequent Itemset Mining

File Format: PDF/Adobe Acrobat - [View as HTML](#)

of convertible **anti-monotonicity**, the **property** holds that for every itemset S and item ... provides great flexibility in **data mining** query optimization. ...

www.cs.sfu.ca/~jpei/publications/conv_jn.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

anti monotonicity property data mining templat

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 15,300 for **anti monotonicity property data mining templates**. (0.18 seconds)**[PDF] DMTL: A Generic Data Mining Template Library**File Format: PDF/Adobe Acrobat - [View as HTML](#)resources for programmers and researchers. We developed DMTL (Data Mining Template Library), a ... lows from the **anti-monotonicity** of frequency). The prefix ...
lcsd05.cs.tamu.edu/papers/hasan_et_al.pdf - [Similar pages](#)**[PDF] APA 5th Edition Template**File Format: PDF/Adobe Acrobat - [View as HTML](#)pattern **mining** to preference-based **data mining** in principle and draw a general ... is called **anti-monotonic** if for any pattern X, X is not a preference ...
www.cs.sfu.ca/~jpei/publications/prefmine-jdwm.pdf - [Similar pages](#)**ICDM '05 : The Fifth IEEE International Conference on Data Mining**731 "Extracting Frequent Subsequences from a Single Long **Data** Sequence: A Novel **Anti-Monotonic** Measure and a Simple On-Line Algorithm" Koji Iwanuma, ...
www.cacs.louisiana.edu/~icdm05/accepted.html - 22k - [Cached](#) - [Similar pages](#)**SIGMOD Conference 1998: 13-24**This demonstrates how important the succinctness and **anti-monotonicity properties** are ... Giuseppe Psaila: Designing **Templates** for **Mining** Association Rules. ...
www.informatik.uni-trier.de/~ley/db/conf/sigmod/NgLHP98.html - 26k - [Cached](#) - [Similar pages](#)**[PPT] Frequent Itemset Mining**File Format: Microsoft Powerpoint - [View as HTML](#)**Anti-Monotonicity** in Constraint-Based **Mining**. **Anti-monotonicity** ... a transactional model (say via **template** overlap windows); Apply ARM on transformed **data** ...
www.cse.ohio-state.edu/~srini/674/assoc_all.ppt - [Similar pages](#)**[PDF] About softness for inductive querying on sequence databases**File Format: PDF/Adobe Acrobat - [View as HTML](#)ever seek for (anti)-**monotonic properties** of these constraints ... Technologies for **Data Mining** - Discovering Knowledge with Inductive ...
liris.cnrs.fr/~jboulica/dbis06.pdf - [Similar pages](#)**[PDF] TSET : AN ALGORITHM FOR MINING FREQUENT TEMPORAL PATTERNS**File Format: PDF/Adobe Acrobat - [View as HTML](#)Temporal **Data Mining**. This incorporation is especially necessary if we ... This **property**, also called **anti-monotonicity property**, ...
www.isi.us.es/~aguiar/ecml2004/FP7.PDF - [Similar pages](#)**[PS] Towards On-Line Analytical Mining in Large Databases**File Format: Adobe PostScript - [View as Text](#)tribution **properties** among dierent groups of **data**. No- tice that by computing such statistical ... **anti-monotonic**. and/or. succinct. is performed in [27] ...
www.sigmod.org/record/issues/9803/han.ps.gz - [Similar pages](#)**[PDF] Inductive Databases: Towards a New Generation of Databases For ...**

File Format: PDF/Adobe Acrobat

view a **data mining** task as the problem of finding the set of sentences in L (the theory of the ... rithms make use of the **monotonicity** or **anti-monotonicity** ...
doi.ieeecomputersociety.org/10.1109/DEXA.2005.116 - [Similar pages](#)

Exploratory mining and pruning optimizations of constrained ...

This demonstrates how important the succinctness and **anti-monotonicity properties** are,
... Jiawei Han, **Mining** inter-transaction associations with **templates**, ...
portal.acm.org/citation.cfm?id=276307&
dl=ACM&coll=&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

anti monotonicity property data minir **Search**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((pattern<in>metadata) <and> (template<in>metadata))<and> (mining<..."

Your search matched 6 of 1392165 documents.

☒ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Mining generalized query patterns from web logs**
 Ling, C.X.; Jianfeng Gao; Huajie Zhang; Weining Qian; Hongjiang Zhang;
System Sciences, 2001. Proceedings of the 34th Annual Hawaii International (
 Jan 3-6 2001 Page(s):9 pp.
[AbstractPlus](#) | Full Text: [PDF\(136 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Evolutionary time series segmentation for stock data mining**
 Fu-lai Chung; Tak-chung Fu; Luk, R.; Ng, V.;
Data Mining, 2002. ICDM 2002. Proceedings. 2002 IEEE International Confere
 9-12 Dec. 2002 Page(s):83 - 90
 Digital Object Identifier 10.1109/ICDM.2002.1183889
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Wavelet based UXO detection**
 Hodgson, S.; Dunstan, N.; Murison, R.;
Data Mining, 2002. ICDM 2002. Proceedings. 2002 IEEE International Confere
 9-12 Dec. 2002 Page(s):617 - 620
 Digital Object Identifier 10.1109/ICDM.2002.1184012
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **A semantic-based image retrieval system: VisEngine**
 Jian-Yong Sun; Zheng-Xing Sun; Ruo-Hong Zhou; Hui-Feng Wang;
Machine Learning and Cybernetics, 2002. Proceedings. 2002 International Co
 Volume 1, 4-5 Nov. 2002 Page(s):349 - 353 vol.1
 Digital Object Identifier 10.1109/ICMLC.2002.1176772
[AbstractPlus](#) | Full Text: [PDF\(411 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Disease-specific probabilistic brain atlases**
 Thompson, P.; Mega, M.S.; Toga, A.W.;
Mathematical Methods in Biomedical Image Analysis, 2000. Proceedings. IEEE
 11-12 June 2000 Page(s):227 - 234
 Digital Object Identifier 10.1109/MMBIA.2000.852382
[AbstractPlus](#) | Full Text: [PDF\(556 KB\)](#) IEEE CNF

[Rights and Permissions](#)

- ☐ 6. **HierarchyScan: a hierarchical similarity search algorithm for databases o sequences**
Chung-Sheng Li; Yu, P.S.; Castelli, V.;
[Data Engineering, 1996. Proceedings of the Twelfth International Conference \(](#)
26 Feb.-1 March 1996 Page(s):546 - 553
Digital Object Identifier 10.1109/ICDE.1996.492205
[AbstractPlus](#) | Full Text: [PDF\(720 KB\)](#) IEEE CNF
[Rights and Permissions](#)

Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((k-mean<in>metadata) <and> (template<in>metadata))<and> (algorithm<in>meta

☒ e-mail

Your search matched 10 of 1392165 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

((((k-mean<in>metadata) <and> (template<in>metadata))<and> (algorithm<in>meta

Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **A modified K-means clustering algorithm for use in isolated work recogn**
 Wilpon, J.; Rabiner, L.;
Acoustics, Speech, and Signal Processing [see also IEEE Transactions on Sig
IEEE Transactions on
 Volume 33, Issue 3, Jun 1985 Page(s):587 - 594
AbstractPlus | Full Text: [PDF\(936 KB\)](#) IEEE JNL
Rights and Permissions
- ☐ 2. **Applications of unsupervised clustering algorithms to aircraft identificati**
range resolution radar
 Dsung Tri Pham;
Aerospace and Electronics Conference, 1998. NAECON 1998. Proceedings of
National
 13-17 July 1998 Page(s):228 - 235
 Digital Object Identifier 10.1109/NAECON.1998.710121
AbstractPlus | Full Text: [PDF\(784 KB\)](#) IEEE CNF
Rights and Permissions
- ☐ 3. **A novel learning method by structural reduction of DAGs for on-line OCR**
 I-Jong Lin; Kung, S.Y.;
Acoustics, Speech, and Signal Processing, 1998. ICASSP '98. Proceedings of
International Conference on
 Volume 2, 12-15 May 1998 Page(s):1069 - 1072 vol.2
 Digital Object Identifier 10.1109/ICASSP.1998.675453
AbstractPlus | Full Text: [PDF\(356 KB\)](#) IEEE CNF
Rights and Permissions
- ☐ 4. **A comparison of methods for clustering electrophysiological multineuroi**
 Sim, A.W.K.; Jin, C.T.; Chan, L.W.; Leong, P.H.W.;
Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th A
International Conference of the IEEE
 Volume 3, 29 Oct.-1 Nov. 1998 Page(s):1381 - 1384 vol.3
 Digital Object Identifier 10.1109/IEMBS.1998.747138
AbstractPlus | Full Text: [PDF\(384 KB\)](#) IEEE CNF
Rights and Permissions
- ☐ 5. **A continuous training procedure for connected digit recognition**
 Rabiner, L.; Wilpon, J.; Juang, B.;

Acoustics, Speech, and Signal Processing, IEEE International Conference on
Volume 11, Apr 1986 Page(s):1065 - 1068

[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. Match between normalization schemes and feature sets for handwritten Chinese character recognition**
Qing Wang; Zheru Chi; Feng, D.D.; Rongchun Zhao;
Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on
10-13 Sept. 2001 Page(s):551 - 555
Digital Object Identifier 10.1109/ICDAR.2001.953849
[AbstractPlus](#) | Full Text: [PDF](#)(416 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. Research on ASIC for multi-speaker isolated word recognition**
Xiong Bing; Sun Yihe;
ASIC, 1996. 2nd International Conference on
21-24 Oct. 1996 Page(s):135 - 137
Digital Object Identifier 10.1109/ICASIC.1996.562770
[AbstractPlus](#) | Full Text: [PDF](#)(160 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. Automatic text location using cluster-based template matching**
Eun Yi Kim; Jae Sik Chang; Hang Joon Kim;
Pattern Recognition, 2002. Proceedings. 16th International Conference on
Volume 3, 11-15 Aug. 2002 Page(s):423 - 426
Digital Object Identifier 10.1109/ICPR.2002.1047937
[AbstractPlus](#) | Full Text: [PDF](#)(362 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. A procedure to generate training sequences for a connected word recognition segmental k-means training algorithm**
Mikkilineni, R.P.; Wilpon, J.G.; Rabiner, L.R.;
Acoustics, Speech, and Signal Processing, 1988. ICASSP-88. 1988 International Conference on
11-14 April 1988 Page(s):433 - 436 vol.1
Digital Object Identifier 10.1109/ICASSP.1988.196611
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF
[Rights and Permissions](#)

- ☐ **10. An enhanced training method for speech recognition in the VODIS project**
Chau, E.; Chung, Y.K.; Frangoulis, E.; Lucas, A.;
Acoustics, Speech, and Signal Processing, 1989. ICASSP-89. 1989 International Conference on
23-26 May 1989 Page(s):620 - 622 vol.1
Digital Object Identifier 10.1109/ICASSP.1989.266503
[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) IEEE CNF
[Rights and Permissions](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((k-mean<in>metadata) <and> (data<in>metadata))<and> (mining<in>g..."

☒ e-mailYour search matched **18** of **1392165** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((k-mean<in>metadata) <and> (data<in>metadata))<and> (mining<in>metadata

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **A new data clustering approach for data mining in large databases**
 Cheng-Fa Tsai; Han-Chang Wu; Chun-Wei Tsai;
Parallel Architectures, Algorithms and Networks, 2002. I-SPAN '02. Proceedings. Symposium on
 22-24 May 2002 Page(s):278 - 283
 Digital Object Identifier 10.1109/ISPAN.2002.1004300
[AbstractPlus](#) | Full Text: [PDF](#)(322 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **'1+1>2': merging distance and density based clustering**
 Dash, M.; Liu, H.; Xiaowei Xu;
Database Systems for Advanced Applications, 2001. Proceedings. Seventh Int Conference on
 18-21 April 2001 Page(s):32 - 39
 Digital Object Identifier 10.1109/DASFAA.2001.916361
[AbstractPlus](#) | Full Text: [PDF](#)(644 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Adaptive dimension reduction for clustering high dimensional data**
 Ding, C.; Xiaofeng He; Hongyuan Zha; Simon, H.D.;
Data Mining, 2002. ICDM 2002. Proceedings. 2002 IEEE International Conference on
 9-12 Dec. 2002 Page(s):147 - 154
 Digital Object Identifier 10.1109/ICDM.2002.1183897
[AbstractPlus](#) | Full Text: [PDF](#)(529 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Iterative clustering of high dimensional text data augmented by local search**
 Dhillon, I.S.; Yuqiang Guan; Kogan, J.;
Data Mining, 2002. ICDM 2002. Proceedings. 2002 IEEE International Conference on
 9-12 Dec. 2002 Page(s):131 - 138
 Digital Object Identifier 10.1109/ICDM.2002.1183895
[AbstractPlus](#) | Full Text: [PDF](#)(518 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Space decomposition in data mining - a clustering approach**
 Maimon, O.; Rokach, L.; Lavi, I.;
Electrical and Electronics Engineers in Israel, 2002. The 22nd Convention of
 1 Dec. 2002 Page(s):101 - 104

Digital Object Identifier 10.1109/EEEI.2002.1178345

[AbstractPlus](#) | Full Text: [PDF\(380 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. A scalable algorithm for clustering sequential data**
Guralnik, V.; Karypis, G.;
[Data Mining, 2001. ICDM 2001, Proceedings IEEE International Conference on](#)
29 Nov.-2 Dec. 2001 Page(s):179 - 186
Digital Object Identifier 10.1109/ICDM.2001.989516

[AbstractPlus](#) | Full Text: [PDF\(934 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **7. A multi-mechanism rule-extraction pipeline for use on unannotated datas**
Goh, A.; Hoe Kok Meng;
[TENCON 2000. Proceedings](#)
Volume 1, 24-27 Sept. 2000 Page(s):382 - 387 vol.1
Digital Object Identifier 10.1109/TENCON.2000.893694

[AbstractPlus](#) | Full Text: [PDF\(528 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **8. A data mining strategy for inductive data clustering: a synergy between s
neural networks and K-means clustering techniques**
Abidi, S.S.R.; Ong, J.;
[TENCON 2000. Proceedings](#)
Volume 2, 24-27 Sept. 2000 Page(s):568 - 573 vol.2
Digital Object Identifier 10.1109/TENCON.2000.888802

[AbstractPlus](#) | Full Text: [PDF\(536 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **9. Clustering of the self-organizing map**
Vesanto, J.; Alhoniemi, E.;
[Neural Networks, IEEE Transactions on](#)
Volume 11, Issue 3, May 2000 Page(s):586 - 600
Digital Object Identifier 10.1109/72.846731

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(356 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **10. High performance data mining using the nearest neighbor join**
Bohm, C.; Krebs, F.;
[Data Mining, 2002. ICDM 2002. Proceedings. 2002 IEEE International Confer](#)
9-12 Dec. 2002 Page(s):43 - 50
Digital Object Identifier 10.1109/ICDM.2002.1183884

[AbstractPlus](#) | Full Text: [PDF\(664 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **11. MSGKA: an efficient clustering algorithm for large databases**
Cheng-Fa Tsai; Zhi-Cheng Chen; Chun-Wei Tsai;
[Systems, Man and Cybernetics, 2002 IEEE International Conference on](#)
Volume 5, 6-9 Oct. 2002 Page(s):6 pp. vol.5

[AbstractPlus](#) | Full Text: [PDF\(365 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **12. A fast algorithm for discovering categories and attribute relevance in wel**
Frigui, H.; Nasraoui, F.;
[Fuzzy Information Processing Society, 2002. Proceedings. NAFIPS. 2002 Ann](#)
[the North American](#)
27-29 June 2002 Page(s):280 - 285
Digital Object Identifier 10.1109/NAFIPS.2002.1018070

[AbstractPlus](#) | Full Text: [PDF\(668 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **13. A similarity-based soft clustering algorithm for documents**
King-Ip Lin; Kondadadi, R.;
[Database Systems for Advanced Applications, 2001. Proceedings. Seventh In-](#)
[Conference on](#)
18-21 April 2001 Page(s):40 - 47
Digital Object Identifier 10.1109/DASFAA.2001.916362
[AbstractPlus](#) | Full Text: [PDF\(788 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **14. An experimental comparison of supervised and unsupervised approaches**
summarization
Nomoto, T.; Matsumoto, Y.;
[Data Mining, 2001. ICDM 2001. Proceedings IEEE International Conference on](#)
29 Nov.-2 Dec. 2001 Page(s):630 - 632
Digital Object Identifier 10.1109/ICDM.2001.989585
[AbstractPlus](#) | Full Text: [PDF\(381 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **15. H-BLOB: a hierarchical visual clustering method using implicit surfaces**
Sprenger, T.C.; Brunella, R.; Gross, M.H.;
[Visualization 2000. Proceedings](#)
8-13 Oct. 2000 Page(s):61 - 68, 540
Digital Object Identifier 10.1109/VISUAL.2000.885677
[AbstractPlus](#) | Full Text: [PDF\(792 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **16. A fuzzy k-modes algorithm for clustering categorical data**
Zhaxue Huang; Ng, M.K.;
[Fuzzy Systems, IEEE Transactions on](#)
Volume 7, Issue 4, Aug. 1999 Page(s):446 - 452
Digital Object Identifier 10.1109/91.784206
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(164 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **17. Nonlinear Fisher discriminant using kernels**
Guttman, O.; Meir, R.;
[Electrical and Electronic Engineers in Israel, 2000. The 21st IEEE Convention](#)
11-12 April 2000 Page(s):257 - 260
Digital Object Identifier 10.1109/EEEI.2000.924384
[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **18. Clustering algorithms for large sets of heterogeneous remote sensing data**
Palubinskas, G.; Datcu, M.; Pac, R.;
[Geoscience and Remote Sensing Symposium, 1999. IGARSS '99 Proceedings:](#)
[International](#)
Volume 3, 28 June-2 July 1999 Page(s):1591 - 1593 vol.3
Digital Object Identifier 10.1109/IGARSS.1999.772029
[AbstractPlus](#) | Full Text: [PDF\(260 KB\)](#) IEEE CNF
[Rights and Permissions](#)





Mon, 21 Aug 2006, 11:18:56 AM EST

Search Query Display

Edit an existing query or
compose a new query in the
Search Query Display.


Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- | | |
|------------|--|
| <u>#1</u> | ((pattern<in>metadata) <and> (template<in>metadata))
<and> (mining<in>metadata) |
| <u>#2</u> | (((pattern<in>metadata) <and> (template<in>metadata))
<and> (mining<in>metadata)) <and> (pyr >= 1950 <and> pyr
=<= 2002) |
| <u>#3</u> | (((k-mean<in>metadata) <and> (template<in>metadata))
<and> (mining<in>metadata)) <and> (pyr >= 1950 <and> pyr
=<= 2002) |
| <u>#4</u> | (((k-mean<in>metadata) <and> (template<in>metadata))
<and> (algorithm<in>metadata)) <and> (pyr >= 1950 <and>
pyr <= 2002) |
| <u>#5</u> | (((k-mean<in>metadata) <and> (template<in>metadata))
<and> (algorithm<in>metadata)) <and> (pyr >= 1950 <and>
pyr <= 2002) |
| <u>#6</u> | (((k-mean<in>metadata) <and> (data<in>metadata)) <and>
(mining<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#7</u> | (((k-mean<in>metadata) <and> (data<in>metadata)) <and>
(mining<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#8</u> | (((k-mean<in>metadata) <and> (data<in>metadata)) <and>
(mining<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#9</u> | (((k-mean<in>metadata) <and> (anti-monotonicity<in>metadata)) <and> (mining<in>metadata))
<and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#10</u> | (((k-mean<in>metadata) <and> (anti-monotonicity<in>metadata)) <and> (pattern<in>metadata))
<and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#11</u> | (((data-mining<in>metadata) <and> (anti-monotonicity<in>metadata)) <and> (pattern<in>metadata))
<and> (pyr >= 1950 <and> pyr <= 2002) |
| <u>#12</u> | (((data-mining<in>metadata) <and> (anti-monotonicity<in>metadata)) <and> (pattern<in>metadata))
<and> (pyr >= 1950 <and> pyr <= 2002) |

- #13** (((data-mining<in>metadata) <and> (anti-monotonicity<in>metadata))<and> (pattern<in>metadata))<and> (pyr >= 1950 <and> pyr <= 2002)
- #14** (((k-mean<in>metadata) <and> (anti-monotonicity<in>metadata))<and> (algorithm<in>metadata))<and> (pyr >= 1950 <and> pyr <= 2002)
- #15** (((k-mean<in>metadata) <and> (anti-monotonicity<in>metadata))<and> (attributes<in>metadata))<and> (pyr >= 1950 <and> pyr <= 2002)
- #16** (((k-mean<in>metadata) <and> (anti-monotonicity<in>metadata))<and> (relational<in>metadata))<and> (pyr >= 1950 <and> pyr <= 2002)
- #17** (((k-mean<in>metadata) <and> (anti-monotonicity<in>metadata))<and> (relational<in>metadata))<and> (pyr >= 1950 <and> pyr <= 2002)



Indexed by
 Inspect[®]

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –